

# FUEL 12V, 24V, 240V PUMPS



**EQUIPCO®**

INNOVATIONS IN FUEL HANDLING

[www.equipco.com.au](http://www.equipco.com.au)  
**1800 813 182**



**THE GOLD STANDARD**  
IN FUEL TRANSFER IS

**EVERYTHING FOR FUEL, LUBE AND ADBLUE “COMPLETE”**

[www.equipco.com.au](http://www.equipco.com.au)

### 40 LPM 12 OR 24 Volt DIESEL TRANSFER PUMP KITS



**BT46SKA**

High quality 12 Volt Diesel Pump Kit for refuelling operations from drums, tanks or mobile refuelling carts. Robust proven pump kit for diesel refuelling operations. Designed to give effortless refuelling for agriculture, transport, earthmoving, mining, logging and marine industries.

**Pump Features:**


- European made.
- Cast iron construction pump.
- 4 Metre cable and clamps.
- Fuse and holder.
- 30 minute duty cycle.
- Internal pressure relief bypass valve.
- Self priming rotary vane pump.

**Options:**

- Meter.
- Fuel filter.
- Extra hose length.
- Base mount.

**Technical Specification**

ELECTRICAL	12 Volt 140 watt 18 AMP 4200 RPM.	24 Volt 140 watt 10AMP 4200 RPM
WEIGHT	3.6kg pump only.	
DIMENSIONS	Suction pipe 25 x 900mm. Pump 260L x 115H x 105W mm.	
CONNECTIONS	1" BSP Female ports.	



**BT46-4**

Code	Description
BT46	12 Volt Pump with cable, clamps and fuse. 42 LPM at free discharge. Diesel use only
BT46M	12 Volt Pump Kit, 4 Mtr hose and manual nozzle. 40 LPM at the nozzle. Diesel use only
BT46MA	12 Volt Pump Kit, 4 Mtr hose and auto shut off nozzle. 38 LPM at the nozzle. Diesel use only
BT46SK	12 Volt Pump Kit complete with manual nozzle, nozzle holder, 4 Mtr hose and suction for 205 Ltr drum. 40 LPM at the nozzle. Diesel use only
BT46SKA	12 Volt Pump Kit complete auto shut off nozzle and Swivel, nozzle holder, 4 Mtr hose and suction 205 Ltr drum. 38 LPM at the nozzle. Diesel use only
BT46V2	24 Volt Pump with cable, clamps and fuse. 42 LPM at free discharge. Diesel use only
BT46V2M	24 Volt Pump Kit, 4 Mtr hose and manual nozzle. 40 LPM at the nozzle. Diesel use only
BT46V2MA	24 Volt Pump Kit, 4 Mtr hose and auto shut off nozzle. 38 LPM at the nozzle. Diesel use only
BT46V2SK	24 Volt Pump Kit complete manual nozzle, nozzle holder, 4 Mtr hose, suction for 205 Ltr drum. 40 LPM at the nozzle. Diesel use only
BT46V2SKA	24 Volt Pump Kit complete auto shut off nozzle and Swivel, nozzle holder, 4 Mtr hose and suction for 205 Ltr drum. 38 LPM at the nozzle. Diesel use only





### HEAVY DUTY ROTARY VANE PUMPS

Code	Description
M4512	12 Volt heavy duty Italian made self priming pump. 45 LPM max free flow. 30 minute duty cycle. 18 AMP.
M4512SKA	M4512 pump with 4 Mtr hose, suction to suit 205lt drum or tank, and auto shut off nozzle.
M6012	12 Volt heavy duty Italian made self priming pump. 60 LPM max free flow. 30 minute duty cycle. 26 AMP.
M6012SKA	M6012 pump with 4 Mtr hose, suction to suit 205lt drum or tank, and auto shut off nozzle.
M8012	12 Volt heavy duty Italian made self priming pump. 80 LPM max free flow. 30 minute duty cycle. 40 AMP.
M8012SKA	M8012 pump with 4 Mtr hose, suction to suit 205lt drum or tank, and auto shut off nozzle.

- Heavy duty 12 Volt rotary vane Italian made self priming pump for heavy agricultural, automotive and contractor use when transferring diesel for refuelling operations.
- 45 LPM max flow

#### Features on 12 Volt model:

- Self priming vane pump cast iron pump body.
- Internal by-pass valve.
- On/Off switch.
- 1" Inlet/Outlet.
- 45 LPM max flow at nozzle.
- 12 Volt DC.
- 4 Mtr power cable and clamp
- IP55
- Stainless steel filter 100 micron
- Italian made.
- 30 minute duty cycle.

M4512SKA



M4512



M8012SKA



M8012



### 60 LPM 12 OR 24 Volt DIESEL PUMP KITS

12 Volt Diesel Pump Kit for refuelling operations. 60 LPM flow for large fuel tanks. High performance pump for contractor use.

#### Features:

- European made.
- Cast iron construction pump.
- Internal pressure relief bypass valve.
- 63 LPM max free flow.
- 30 minute duty cycle.
- Self priming rotary vane pump.

#### Options:

- Meter.
- Fuel filter.
- Extra hose length.
- Base mount.

#### Technical Specification


ELECTRICAL	12 Volt, 31 AMP, 240 watt. 24 Volt, 16 AMP, 240 watt.
WEIGHT	4.4kg pump only.
CONNECTIONS	1" BSP Female ports.

Code	Description
BP60	12 Volt Pump with cable, clamps and fuse. 63 LPM at free discharge. Diesel use only
BP60M	12 Volt Pump Kit, 4 Mtr hose and manual nozzle. 60 LPM at the nozzle. Diesel use only
BP60MA	12 Volt Pump Kit, 4 Mtr hose and auto shut off nozzle. 58 LPM at the nozzle. Diesel use only
BP60SK	12 Volt 60 LPM at the nozzle. Pump kit complete with manual nozzle, nozzle holder, 4 Mtr hose and suction for 205 Ltr drum. Diesel use only
BP60SKA	12 Volt 58 LPM at the nozzle. Pump Kit complete with automatic shut off nozzle, swivel, nozzle holder, 4 Mtr hose and suction for 205 Ltr Drum. Diesel use only
BP60V2	24 Volt Pump with cable, clamps and fuse. 63 LPM at free discharge. Diesel use only
BP60V2M	24 Volt Pump Kit, 4 Mtr hose and manual nozzle. 60 LPM at the nozzle. Diesel use only
BP60V2MA	24 Volt Pump Kit, 4 Mtr hose and auto shut off nozzle. 58 LPM at the nozzle. Diesel use only
BP60V2SK	24 Volt 60 LPM at the nozzle Pump Kit complete with manual nozzle, nozzle holder, 4 Mtr hose and suction for 205 Ltr drum. Diesel use only
BP60V2SKA	24 Volt 58 LPM at the nozzle. Pump kit complete with automatic shut off nozzle, swivel, nozzle holder, 4 Mtr hose and suction for 205 Ltr Drum. Diesel use only



BP60SKA

BP60SKA



### SUBMERSIBLE PUMPS

Equipco 12/24 Volt submersible pump sizes to suit small diesel transfer applications from drums or tanks. Limited life pump for intermittent use. Can be use for clean water.

#### Options:

- Suction strainer.



12TENK

12TEN-410A

Code	Description
12TENK	12 Volt submersible transfer pump for diesel and fresh water. 50mm diameter. 40 LPM max free flow rate. 30 Minute duty cycle. 3/4" Hose tail connection. Approx. 500 - 600 hours motor life. Motor made in Switzerland.
12TEN-410A	12 Volt submersible transfer pump kit for diesel. Complete with 4 Mtr rubber hose, manual shut off nozzle and fittings. 30 LPM max flow. 500 - 600 hours motor life.
24TENK	24 Volt submersible transfer pump for diesel and fresh water. 50mm dia. 40 LPM max free flow. 30 minute duty cycle max. 3/4" Hose tail connection. Approx. 500-600 hours motor life.
24TEN-410A	24 Volt submersible transfer pump kit for diesel. Complete with 4Mtr rubber hose, manual nozzle and fittings. 30 LPM max flow. 500 - 600 hours motor life.

### DUAL VOLTAGE 12/24 Volt PUMP

Dual Voltage 12/24 Volt rotary vane self priming pump for diesel refuelling operations.

12 Volt = 35 LPM/24 Volt = 70 LPM

flow rate.

#### Features:

- Cast iron rotary vane pump.
- Made in Europe.
- Internal pressure relief bypass valve.
- 12 Volt = 35 LPM flow rate at nozzle.
- 24 Volt = 70 LPM flow rate at nozzle.
- 1" BSP female ports.
- 30 minute duty cycle.
- 4 Mtr cable and clamps.
- Diesel use only.



#### Technical Specification

ELECTRICAL	12 Volt = 16 amp, 24 Volt = 25 amp.
WEIGHT	8kg pump only.

### 85 LPM 12 OR 24 Volt HIGH VOLUME DIESEL TRANSFER PUMP KITS



**BP80SKA**

85 LPM 12 Volt Diesel Pump Kits for volume refuelling operations with large equipment. Excellent for auto nozzle volume flows. Used in fuel trailers, stationary or mobile tanks, trucks or utes.

#### Features:


- Cast iron rotary vane pump.
- Internal pressure relief bypass valve.
- 30 minute duty cycle.
- 85 LPM max free flow.
- 4 Mtr cable and clamps.
- European made.

#### Options:

- Meter.
- Fuel filter.
- Base mount.
- Extra hose length.

#### Technical Specification

ELECTRICAL	12 Volt = 50 amp, 24 Volt = 20 amp.
------------	--



Code	Description
BP80	12 Volt Pump with cable, clamps and fuse. 85 LPM max free flow.
BP80M	12 Volt Pump with 4 Mtr hose and manual nozzle. 80 LPM flow rate at nozzle.
BP80MA	12 Volt Pump with 4 Mtr hose and auto shut off nozzle. 75 LPM flow rate at the nozzle.
BP80SK	12 Volt high volume pump kit complete with manual nozzle, nozzle holder, 4 Mtr hose and suction for 205 Ltr Drum. 80 LPM at the nozzle.
BP80SKA	12 Volt high volume pump kit complete with auto shut off nozzle, swivel, nozzle holder, 4 Mtr hose and suction for 205 Ltr Drum. 75 LPM at the nozzle.
BP80V2	24 Volt Pump with cable, clamps and fuse. 85 LPM max free flow.
BP80V2M	24 Volt Pump, 4 Mtr hose and manual nozzle. 80 LPM max flow rate at the nozzle.
BP80V2MA	24 Volt Pump, 4 Mtr hose and auto shut off nozzle. 75 LPM at the nozzle.
BP80V2SK	24 Volt high volume pump kit complete with manual nozzle, nozzle holder, 4 Mtr hose and suction for 205 Ltr Drum. 80 LPM flow at nozzle.
BP80V2SKA	24 Volt high volume pump kit complete with auto shut off nozzle, swivel, nozzle holder, 4 Mtr hose and suction for 205 Ltr Drum. 75 LPM flow at the nozzle.



### 12 AND 24 VOLT PETROL OR DIESEL TRANSFER FILL-RITE PUMP KITS



#### R11210

- 57 LPM max flow rate.
- 12 DC Volt FILL-RITE Heavy duty self priming pump kit for petrol and diesel.
- ¾" outlet.
- 2" BSPM tank adaptor.
- 30-Minute duty cycle.
- Heavy duty, high quality design, proven by time.
- World class pump.
- Cast iron body
- Made in USA.
- 20 AMP rated.



#### FRD12

- Up to 45 LPM.
- Petrol, benzene, diesel, biodiesel (up to B20), kerosene and ethanol (up to E15).
- Aluminium construction.
- ¾" BSPF inlet/outlet, low profile.
- Thermally protected.
- Self-priming.
- 30 Minute duty cycle.
- Smooth in-line switch.
- IECEx approved.
- Made in USA.
- 14 AMP rated.

Code	Description
FRD12	12V DC FILL-RITE RD12 pump for petrol/diesel fuel. IECEx approved. Up to 45 LPM. Petrol, benzene, diesel, biodiesel (up to B20), kerosene and E15. ¾" BSP inlet/outlet. Low profile. 30-Minute duty cycle. 14 AMP.
FRD12SK	FILL-RITE RD12 IECEx approved petrol pump with manual nozzle, 4 Mtr hose and suction for 205 Ltr drum. 12V DC, 45 LPM. Petrol, benzene, diesel, biodiesel (up to B20), kerosene and E15. 30-Minute duty cycle.
FRD12SKA	FILL-RITE RD12 IECEx approved petrol pump with auto shut-off nozzle, 4 Mtr hose and suction for 205 Ltr drum. 12V DC, 45 LPM. Petrol, benzene, diesel, biodiesel (up to B20), kerosene and E15. 30-Minute duty cycle
R1121	12 Volt bare pump 57 LPM, 12V DC Pump, 5' Ground Wire, No hose, nozzle or suction.
R11210	12 Volt FILL-RITE heavy duty pump kit for petrol or diesel use supplied with 3.6 Mtr hose and manual nozzle. 57 LPM max flow. 30 minute duty cycle. 20 AMP.
R11210A	12 Volt FILL-RITE heavy duty pump kit for petrol or diesel use supplied with 3.6 Mtr hose and automatic shut-off nozzle. 57 LPM max flow. 30 minute duty cycle.
R12410	24 Volt FILL-RITE heavy duty pump kit for petrol or diesel use supplied with 3.6 Mtr hose and manual nozzle. 57 LPM max flow. 30 minute duty cycle.
R12410A	24 Volt FILL-RITE heavy duty pump kit for petrol or diesel use supplied with 3.6 Mtr hose and automatic shut-off nozzle. 57 LPM max flow. 30 minute duty cycle.





### 12 AND 24 VOLT PETROL OR DIESEL TRANSFER FILL-RITE PUMP KITS

The FILL-RITE range of SAA approved 12 Volt, 24 Volt and 240 Volt Petrol-Diesel Pumps are simple in design, extremely heavy duty with efficient low current consumption. Most pumps carry Australian approval for pumping petrol and are supplied in kit form.

#### R1FR4205GE

- 75 LPM flow rate.
- ANZEx approved.
- 12 VDC.
- 1" Inlet and outlet ports.
- Thermal overload protection.
- 2" BSPM tank adapter.
- By-pass Valve.
- 30 Minute Duty Cycle.
- Self Priming.
- Made in USA.
- World class pump.

#### NX3210A

- Fillrite 95 LPM 12-24 Volt variable speed smart refuelling pump. Super Duty
- Complete kit with cast iron rotary vane pump, 1/3 HP 29 amp continuous duty rated for heavy duty contractor use.
- Includes 5.5 Mtr 1" Hose with high flow auto nozzle and 6 Metre cable and clamps.
- Made in USA



Code	Description
R1FR4205GE	12 Volt FILL-RITE heavy duty high flow bare pump for petrol or diesel use. 75 LPM max flow. 30 minute duty cycle. 22 AMPS
R1FR4210D	12 Volt FILL-RITE heavy duty high flow pump kit for petrol or diesel use supplied with 3.6 Mtr hose and manual nozzle. 76 LPM max flow. 30 minute duty cycle.
R1FR4210A	12 Volt FILL-RITE heavy duty high flow pump kit for petrol or diesel use supplied with 3.6 Mtr hose and auto nozzle. 76 LPM max flow. 30 minute duty cycle.
R1FR4410	24 Volt FILL-RITE heavy duty high flow pump kit for petrol or diesel use supplied with 3.6 Mtr hose and manual nozzle. 75 LPM max flow. 30 minute duty cycle.
NX3210A	Fillrite 95 LPM 12-24 Volt variable speed smart refuelling pump. Super Duty. 29 AMPS

### 12 VOLT AVIATION FUEL KIT



#### AV4210KIT

Our high quality rotary vane pump, strong and robust enough to handle aviation fuel application.

- FILL-RITE Petrol Pump. Made in the USA.
- Carries ANZEx approval for pumping petrol and avgas.
- 15 Mtr x 1" rubber aviation fuel hose.

- Aviation ZVF manual nozzle.
- Aviation 0.5 micron filter.
- 20 Mtr static reel.
- 30 minute duty cycle.
- Self priming.
- Thermal overload protection.
- By-pass valve.

Code	Description
AV4210KIT	12 Volt aviation pump kit with heavy duty pump. Kit includes aviation fuel filter, aviation fittings, 15 Mtr x 1" aviation hose, aviation manual nozzle and 20 Mtr static reel. 40 LPM max flow at nozzle.
AV4410KIT	24 Volt aviation pump kit with heavy duty pump. Kit includes aviation filter, aviation fittings, 15 Mtr x 1" aviation hose, aviation manual nozzle and 20 Mtr static reel. 40 LPM flow at nozzle.



### 240 Volt AVIATION PUMP KITS

Code	Description
AVCC68KIT	240 Volt aviation fuel pump kit with heavy duty pump. Kit includes aviation filter, aviation fittings, 15 Mtr x 1" aviation hose, aviation manual nozzle and 20 Mtr static reel. 40 LPM max flow at nozzle.



### FILL-RITE 240 Volt PUMP KIT

#### R1CC68

- FILL-RITE 240 Volt AC heavy duty transfer pump for petrol or diesel.
- 76 LPM max flow.
- Made in USA.
- By-pass valve.
- Self-priming.
- 2" BSPM tank adaptor.
- Nozzle holster.



#### RFR310

- FILL-RITE 240 Volt AC heavy duty transfer pump for diesel only.
- 130 LPM max flow.
- Made in USA.
- By-pass valve.
- Self-priming.
- 2" BSPTM tank adaptor.
- Nozzle holster.



#### FR702A

- FILL-RITE 240 Volt AC mini petrol bowser.
- 68 LPM max flow.
- Heavy duty cabinet style self priming pump kit for petrol and diesel.
- 3 digital mechanical meter.
- Made in USA.
- By-pass valve.
- Nozzle holster.



Code	Description
R1CC68	240 Volt pump kit for petrol or diesel, 3.6 Mtr hose and manual nozzle. 76 LPM at the nozzle.
R1CC68A	240 Volt pump kit for petrol or diesel, 3.6 Mtr hose and auto nozzle. 76 LPM at the nozzle
RFR310	240 Volt FILL-RITE heavy duty super high flow (114 LPM) pump kit with manual nozzle. Diesel use only.
RFR310A	240 Volt FILL-RITE heavy duty, super high flow (114 LPM) pump kit with auto nozzle. Diesel use only.
FR311M	240 Volt FILL-RITE high flow pump with 4 digit mechanical flow meter and manual nozzle. 113 LPM. Diesel use only.
FR311MA	240 Volt FILL-RITE high flow pump with 4 digit mechanical flow meter and auto nozzle. 113 LPM. Diesel use only.
FR702	240 Volt FILL-RITE cabinet pump ONLY for petrol, without hose and nozzle.
FR702A	240 Volt FILL-RITE Heavy duty cabinet style self priming pump kit for petrol and diesel. Kit includes 3.6 Mtr of hose and auto nozzle. 68 LPM

