

FUEL ENGINE DRIVEN PUMPS



EQUIPCO®

INNOVATIONS IN FUEL HANDLING

www.equipco.com.au
1800 813 182



EVERYTHING FOR FUEL, LUBE AND ADBLUE "COMPLETE"

www.equipco.com.au

1" HONDA DIESEL TRANSFER PUMP

Code	Description
P25HM	1" Aluminium diesel transfer pump powered by Honda GX25 petrol engine. 4 Stroke engine. 35 Mtr head Max - 100 LPM Max. Diesel use only.
P25HM03	1" Aluminium diesel transfer pump powered by Honda GX25 petrol engine. Kit complete with 6 Mtr hose, 1" auto nozzle and swivel. Diesel use only. 85 LPM max flow rate.
P25HM06	1" Aluminium diesel transfer pump powered by Honda GX25 petrol engine. Supplied with 10 micron filter, 6 Mtr x 1" anti-static rubber delivery hose, 1" high flow auto nozzle and 1" swivel. Diesel use only. 85 LPM.
P25HM09	1" Aluminium diesel transfer pump powered by Honda GX25 petrol engine. Supplied with 10 micron filter, 6 Mtr x 1" anti-static rubber delivery hose, 1" auto nozzle and swivel and electronic meter. Diesel use only. 85 LPM.



P25HM



P25HM03



P25HM06

2" HONDA DIESEL TRANSFER PUMP

Code	Description
P504H	2" Aluminium self priming pump coupled to Honda GX120 4 HP petrol engine. Suitable for diesel transfer. 600 LPM max. Head 30 Mtr max.
P504HM03	2" Aluminium diesel transfer pump powered by Honda GX120 4HP petrol engine. Kit complete with 6 Mtr x 32mm hose, 1" auto nozzle and swivel. Diesel use only, 150 LPM max flow rate.
P504HM06	2" Aluminium diesel transfer pump powered by Honda GX120 4HP petrol engine. Kit complete with 6 Mtr x 32mm hose, 1" auto nozzle with swivel and 10 micron filter. Diesel use only, 150 LPM max flow rate.

Contact our sales team for higher flow options above 150 LPM



P504H



P504HM06



P504HM03



2" HEAVY DUTY INDUSTRIAL HONDA POWERED PUMPS FOR DIESEL TRANSFER

Equipco Heavy Duty Industrial cast iron self priming pumps are powered by Honda petrol engines and designed to suit a broad range of applications in mining, agriculture, construction and marine.

Code	Description
50FMH55	2" (50mm) Heavy duty industrial cast iron self priming volume pump powered by 5.5 HP Honda petrol engine. Viton seals. 680 LPM max free flow. 30 Mtr head max. Pull start.
50FMH65E	2" (50mm) Heavy duty industrial cast iron self priming volume pump powered by 6.5 HP Honda petrol engine. Electric start. Viton seals.
50FMH5503	2" (50mm) Heavy duty industrial cast iron self priming pump powered by 5.5 HP Honda. Complete kit with roll frame, 6m x 1 1/4" rubber hose, 1" auto shut off nozzle and swivel. Diesel use only. Viton seals. Pull start. 150-180 LPM max flow rate.
50FMH5506	2" (50mm) Heavy duty industrial cast iron self priming pump powered by 5.5 HP Honda. Complete kit with roll frame, 1 1/2" filter, 6 Mtr x 1 1/4" rubber hose, 1" auto shut off nozzle and swivel. Diesel use only. Viton seals. Pull start. 150 LPM max flow rate.



50FMH5503



50FMH5506

Contact our sales team for higher flow options above 150 LPM

2" HEAVY DUTY INDUSTRIAL YANMAR POWERED PUMPS - FOR DIESEL TRANSFER

Equipco's range of Heavy Duty industrial cast iron self priming pumps are powered by Diesel engines from 4.2 HP to 20 HP and suit a broad range of applications in mining, construction and marine. Pump made in USA.

Code	Description
50FM48Y	2" (50mm) Heavy duty industrial cast iron self priming pump powered by 4.8 HP Yanmar diesel engine. Pull start. Viton seals. 680 LPM max free flow. 30 Mtr head max. 3600 RPM.
50FMYD48E	2" (50mm) Heavy duty industrial cast iron self priming pump powered by 4.8 HP Yanmar diesel engine. Electric start. Viton seals. 680 LPM max free flow. 30 Mtr head max. 3600 RPM.
50FMHZ42E-S	2" (50mm) Cast iron heavy duty industrial self priming diesel transfer pump coupled to Hatz 4.2 HP diesel engine, electric start. Viton seals. Diesel use only. Supplied with emergency stop button and enclosure.



50FM48Y

Options Available with:
▶ Hatz engine.
▶ Emergency stop.

4" HIGH FLOW DIESEL TRANSFER PUMP WITH 8 HP YANMAR DIESEL ENGINE

Code	Description
P100L70	4" High flow diesel transfer pump with 8 HP Yanmar diesel engine, 1450 LPM max. Various engine options available



2" ROTARY VANE SELF - PRIMING VANE PUMP WITH ENGINE

Code	Description
TP320-H65E	2" rotary vane self-priming pump coupled to electric start 6.5 HP Honda engine includes bypass. Up to 320 LPM. Max 36 PSI pressure
TP320-YD48E	2" rotary vane self-priming pump coupled to electric start 4.8 HP Yanmar electric start engine includes bypass. Up to 320 LPM. Max 36 PSI pressure

