



BLUWASH PROFESSIONAL PRESSURE WASHER – 3300 PSI

The Bluwash Professional Pressure Washer is engineered for demanding trade and industrial use, delivering 3300 PSI and 9.5 litres per minute of high-pressure cleaning power. Equipped with a reliable 6.5 HP Honda® GX200 petrol engine and a heavy-duty AAA® Triplex pump, it offers exceptional performance, durability, and pressure stability in tough conditions.

Ideal for construction, transport, manufacturing, and maintenance, this unit is built to withstand rigorous daily use. Designed and made in the USA, it meets strict quality standards for long-term reliability. With a robust build and user-friendly features, it's easy to transport and maintain—making it the preferred choice for Australian professionals who require consistent, industrial-grade results.



ITEM CODE	DESCRIPTION	A	B	C	WEIGHT
EPS33009H	Bluwash Professional Pressure Washer. 3300 PSI at 9.5 LPM HONDA® GX200 6.5 HP Petrol engine with AAA® Triplex Pump. For Trade and Industry use. Made in USA	533.4 mm	609.6 mm	863.6 mm	34.93 kg



HUGE WARRANTY

10
YEARS

WARRANTY
FRAME

5
YEARS

WARRANTY
PUMP

3
YEARS

WARRANTY
ENGINE

UNIT INCLUDES

- Hose
- Lance
- Trigger gun
- Nozzles: 15°, 25°, 40°, and soap
- Engine oil 10W-30
- Low-pressure soap injector

PUMP

AAA® Industrial Triplex Pump

- equipped with an integrated unloader and thermal relief valve

ENGINE

HONDA® GX200

- equipped with a low oil shutdown feature

FRAME

Welded steel frame

- with powder-coated finish for durability and corrosion resistance

HOSE

Morflex® 25' High-pressure Hose

- flexible, kink and abrasion-resistant with a non-marring polyurethane outer jacket

TIRES

10 in. Premium Pneumatic Tires


- for ease of maneuverability across various terrains

NOZZLES



5 Quick-connect Nozzle Tips

- 0°, 15°, 25°, 40°, and soap nozzle for use on a variety of cleaning applications


ITEM CODE	FUEL TYPE	DRIVE TYPE	PSI	HOSE	GUN	WAND
EPS33009H	Petrol	Direct	3300	MorFlex® 5/16-in. x 25-ft.	Rear load M22 connection	16 in. QC spray lance




PARTS AND COMPONENTS



FRONT PERSPECTIVE



1. Engine ON/OFF switch
2. Fuel tank
3. Fuel filler cap
4. Pump
5. Spray gun holder
6. Nozzle holders
7. Spray gun
8. Spray gun trigger
9. Spray gun trigger lock
10. High-pressure pump outlet
11. Garden hose coupler & water inlet filter
12. Oil filler cap / dipstick (not visible)
13. Wheel
14. Spray wand quick connector
15. High-pressure hose
16. Hose hanger
17. Spark plug
18. Throttle (if equipped)
19. Choke
20. Fuel valve (if equipped)
21. Engine starting recoil
22. Engine oil drain plug (not shown)
23. Thermal relief valve
24. Unloader control knob (if equipped)
25. Frontdashboard (if equipped)



SIDE PERSPECTIVE